Drive Units

Take advantage of Wadsworth's 40 plus years of experience in automating vents. Our drive units set the standard for powerful performance, smooth operation and reliability.



VC 100A Vent Drive

FEATURES

- Gear motor: 1/20 HP 115V; 60Hz; 0.68 amps TENV
- Ball bearing motor with copper windings Class B insulation
- Gear reducer: total gear reduction 1900:1; .85 final output
- Output torque 500 inch lb / 56 Nm
- Lifts up to 75' of 4' polycarbonate roof ridge vent or 125' of 4' polycarbonate side vent



VC 2000 Vent Drive

FEATURES

- Gear motor: 1/5 HP 115V; 60Hz; 2.5amps TEFC
- Ball bearing motor with copper windings Class B insulation
- Gear reducer: total reduction 1350:1; 1.2 and 3 RPM final output
- Output torque 1500 inch lb / 169 Nm
- Lifts up to 325' of 4' polycarbonate roof ridge vent or 400' of 4' polycarbonate side vent

SHAFT SIZE

Wadsworth's drive units can be ordered to fit either a 1-3/8" or a 1-5/8" shaft. Measure the outside diameter (O.D.) of your shaft to determine which size is correct for your greenhouse.



BENEFITS

- Thermal overload protection automatic reset continuous duty
- Quick reversing
- Worm gear with tapered roller bearings on dual output shafts immersed in synthetic oil
- Dual output shaft
- Sealed for life; limited or no maintenance required
- Superior heat dissipation through fin & casting design

I have all Wadsworth equipment. The drive units are very robust, built to handle years of use. In a world where whatever can go wrong will go wrong, it's great to have tough, low maintenance equipment I can depend on.

JOHN MCMAHON Schuyler Greens

To find out more call 800.821.5829, email sales@wadsworthcontrols.com or visit www.wadsworthcontrols.com

